




562W MANUAL

DEBURR AND WASH SYSTEM



SYSTEM FEATURES

- MANUAL FRONT DOOR – ONE DOOR OPENS TO EACH SIDE
- INTEGRATED CHAIN SLOT
- LARGE OPERATOR AND MAINTENANCE ACCESS DOORS
- AUTOMATIC PART CLAMPING SYSTEM
- 7-GUAGE MIL-SPEC PLATE CONSTRUCTION
- ¼" THICK 2-PLY LAMINATED SAFETY GLASS
- POWDER COATED FRAME AND ACCESSORIES
- ALLEN BRADLEY PLC
- ALLEN BRADLEY COLOR HMI
- 220 GALLON PER MINUTE WASH SYSTEM
- ROSEDALE FILTRATION SYSTEM – BAG FILTER STYLE
- AUTOMATIC LUBRICATION SYSTEM
- GLASS TUBE HIGH INTENSITY MACHINE LIGHTING





SYSTEM SPECS

WET AND DRY OPTIONS

DUAL QUICK-SET FEATURE

COLOR OPERATOR SCREEN

MAX NUMBER OF TOOLS 4

WATER CAPACITY 100 GALLONS

MAX WORKPIECE HEIGHT 12 INCHES

AIR REQUIREMENTS 90 PSI @ 100 CFM

MAX WORKPIECE DIAMETER 26 INCHES

MAX WORKPIECE WEIGHT 100 POUNDS

POWER REQUIREMENTS (VOLTS/AMPS) 460 / 10 OR 230 / 20

FLOOR SPACE (W X D X H) 89 INCHES X 45 INCHES X 85 INCHES